

# IPMI Firmware Release Notes

*Supermicro disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade. All products, computer systems, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Supermicro and the Supermicro logo are trademarks of Super Micro Computer, Inc. in the U.S. and/or other countries. Copyright © 2018 Super Micro Computer, Inc. All rights reserved.*

<b>Product Name</b>	<b>X10DRG-Q</b>
<b>Release Version</b>	<b>3.90</b>
<b>Build Date</b>	<b>7/17/2020</b>
<b>Previous Version</b>	<b>3.86</b>
<b>Update Category</b>	<b>Recommended</b>
<b>Dependencies</b>	<b>None</b>
<b>Important Notes</b>	<b>None</b>
<b>Enhancements</b>	<b>N/A</b>
<b>New features</b>	<b>N/A</b>
<b>Fixes</b>	<ol style="list-style-type: none"><li>1. System now shows as Critical when PSU sensor is not plugged in.</li><li>2. Clear destination address after factory default.</li><li>3. Corrected display of table when the Maintenance Event Log is full and the event log has "Activate_BIOS_Product_Key".</li><li>4. Allow patching SSH Port to an already existing/default port value in Redfish.</li><li>5. Allow patching Active Directory Role Group Domain with a period in Redfish.</li><li>6. Corrected mismatch FRU values "13," "18," and "19" Chassis Type between SMCIPMITool FRU and IPMI Web FRU.</li><li>7. Corrected issues with KVM console.</li><li>8. AOC SAS sensor no longer disappears from IPMI sensor reading.</li><li>9. Corrected destination address after updating firmware by SMCIPMITool.</li></ol>