IPMI Firmware / BIOS Release Notes Form

Supermicro disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade. All products, computer systems, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Supermicro and the Supermicro logo are trademarks of Super Micro Computer, Inc. in the U.S. and/or other countries. Copyright © 2018 Super Micro Computer, Inc. All rights reserved.

Product Name	X10DRT-PS
Release Version	3.0a
Release Date	2/8/2018
Previous Version	2.0b
Update Category	Critical
Dependencies	None
Important Notes	N/A
Enhancements	1. Implemented enhancement to address 'Spectre' variant 2 (CVE
	2017-5715) security issue.
	2. Updated Broadwell-EP RC 4.3.0 PLR11 release.
	3. Corrected POST diagnostic signOn string.
	4. Added tCCD_L Relaxation item under Memory Configuration menu.
	5. Added SumBbsSupportFlag into DAT file.
	6. Removed SIOM report for SMBIOS type 41 so that SIOM only
	reports on SMBIOS type 9.
	7. Added "SMBIOS Preservation" Enabled/Disabled item for flash
	recovery.
	8. Enhanced SMC Recovery Flash Boot Block feature.
	9. Fixed inability of SUM to get COM2/SOL settings from BIOS.
	10. Updated Intel Server Platform Services 3.1.3.50 for Grantley
	Refresh Platforms.

	11 Lindated SATA PAID OPPOM/EEL driver to PSTo ProOS v4 7 0 1014
	11. Updated SATA RAID OPROM/EFI driver to RSTe PreOS v4.7.0.1014
	(RSTe SATA 4.7.0.1069 and NVMe 4.7.0.2063).
	12. Fixed inability of SUM utility to get "Setup Prompt Timeout" setup
	item.
	13. Added support for UEFI mode PXE boot via F12 hot key Net boot.
	14. Changed Memory correctable threshold to 100 and enabled
	Cloaking for Broadwell CPU E5-26xx SKU.
New features	1. Added support for JEDEC NVDIMM.
	2. Implemented SMC Recovery Flash Boot Block feature to add the
	POST screen message, "The System Is Going To Reset And Then
	Entering To Recovery Mode Again."
Fixes	1. Added Ramaxel JEDEC ID to support Ramaxel memory.
	2. Fixed problem of NVDIMM setup items appearing when optimized
	defaults load even without NVDIMM being installed.
	3. Fixed problem of SMBIOS Type4 CPU2 current speed not showing
	as zero when CPU2 is not installed.
	4. Fixed problem of system resetting or hanging after Watch Dog
	function is enabled during BIOS update.
	5. Fixed problem of MWAIT being disabled on BSP only.
	6. Fixed inability to get correct Memory CECC DIMM location via SD5.
	7. Fixed problem of system hanging at POST 0xA9 when entering
	setup menu while Intel P4800X uEFI driver is loaded.
	8. Updated FlashDriver module to Label 5 in order to fix inability of
	system to enter recovery mode when MAIN block is updated 45% and
	then system powers off.