IPMI Firmware

Supermicro disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade. All products, computer systems, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Supermicro and the Supermicro logo are trademarks of Super Micro Computer, Inc. in the U.S. and/or other countries. Copyright © 2018 Super Micro Computer, Inc. All rights reserved.

Product Name	X11DPI-N(T)
Release Version	1.61
Release Date	10/22/2018
Previous Version	1.55
Update Category	Recommended
Dependencies	None
Important Notes	None
Enhancements	 Changed the naming for "Health Event Log" and "Maintenance Event Log" in Web UI. Migrated the IPMI Event Log to the URL "redfish/v1/Systems/1/LogServices" in Redfish and changed the name "Event Log" to "System Management Log" in Redfish and Web UI. Changed "System Event Log" to "BMC Event Log" in Web UI. Changed VRM chip hardware with MPS solution on 2.00.
New features	 Enabled clearing all system event logs without generating any log and dumping all the system event logs. Added support for BMC Event Log in Redfish.

Fixes	1. Fixed Failure of IPMI SOL.
	2. System status now reference PSU state when AC is lost.
	3. Redfish no longer times out session after accessing the System
	Event Log page and causing BMC bootloop.
	4. AOC NIC Threshold now follows Thermal Guidelines.
	5. Return consistent return codes (200, 500, 503) from the BMC when
	using ApacheBench.
	6. Allow opening 4 th IKVM session in Redfish.
	7. Allow removing IPv6 DNS server.
	8. Removed incorrect message appearing on iKVM/HTML5 page when
	disabling IKVM port.
	9. System status no longer shows normal when the power fails.
	10. Corrected failure to update SSL certificate file.
	11. Corrected inability to log in after updating new firmware.