

IPMI Firmware Release Notes

Supermicro disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade. All products, computer systems, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Supermicro and the Supermicro logo are trademarks of Super Micro Computer, Inc. in the U.S. and/or other countries. Copyright © 2018 Super Micro Computer, Inc. All rights reserved.

Product Name	X11SPM-F/T(P)F
Release Version	1.71.11
Release Date	10/25/2019
Previous Version	1.71.06
Update Category	Recommended
Dependencies	None
Important Notes	None
Enhancements	N/A
New features	1. Added BMC firmware solution to program and store unique pre-programmed password.
Fixes	1. Fixed inconsistent behavior for factory function. 2. Corrected message for Delete User Without Selecting Slot. 3. Fixed ability to clear unique password using raw command 0x30 0x74 0x2. 4. Fixed ability to remove unique password set bit by IPMITool raw command. 5. Corrected response 204 when posting factory default with invalid option value on Redfish and response 503 when posting factory default with empty body on Redfish.

	<p>6. Fixed failure of Java KVM to block Virtual Media section and show warning message when virtual media port is disabled.</p> <p>7. Fixed missing new load factory default options for IPMICFG/SMCIPMITool/Redfish for IPMI firmware 1.71.7.</p> <p>8. Corrected verification of the concatenate string of unique password.</p>
--	---

